Identity of complainant should be protected. Injunction relief?

Light A - vetted by 7 P&Z members, 7 council members, at least 3 staff members	**Light B - proposed by Ross Gordon alone, not vetted by staff, outside process for P&Z & Council**
General provisions (apply to existing and new lighting): **0.2** footcandle limit at property boundary, upward or downward. Applies to, but not limited to, spotlights, floodlights, **pool** or landscape lighting or similar illuminating devices.	General provisions (apply to existing and new lighting): **0.5** footcandle limit at property boundary at grade. Applies to, but not limited to, spotlights, floodlights, [**not pool**] landscape lighting or similar illuminating devices. **High intensity lighting fully shielded** and cast downward to minimize glare.
General provisions apply to new construction: **0.2** footcandle limit at property boundary, upward or downward.	New construction: **0.5** footcandle limit at property boundary *at grade* . Exterior, not single family. Only parking areas limited to **0.2** footcandles.
Warm light less than **3000Kelvin** (not blue or white light like many LEDs) where possible.	Warm light less than **3500Kelvin** (not blue or white light like many LEDs) and color index less than 70. Exterior, not single family.
Definition of light trespass: any light that crosses from desired location to adjacent property (upward or downward). Light emitted is presumed to fall beyond the property line **if the lamp is visible.**	**Definition of light trespass:** any light that shines ***upward above horizontal plane*** from desired location to adjacent property. **Visible light source not considered trespass.**
Definitions omitted because they weren't used (but maybe should be used)	Added definitions: standard definitions for Color of light, shield, fully shielded. Need definition of high **intensity lighting and exterior new construction.**
No definition of glare. Good definitions from lawinsider.com and codepublishing.com	Added definition of glare (not scientific)
Existing parking: Height of parking lot light poles **20ft** and top floor parking garage light poles **15** ft. Lights on building or parking garage shall **not extend above roof line of building or wall of garage.**	Existing parking lot and garage poles: **No limits** on heights. **May extend above roof line**. Eliminated all provisions for parking lot lighting and parking garage lighting for existing structures.
Non-residential new *construction*: Height of parking lot light poles **15ft** and top floor parking garage light poles 15 ft	Non-residential new construction: Height of parking lot light poles **20ft** and top floor parking garage light poles 15 ft

Light A - vetted by 7 P&Z members, 7 council members, at least 3 staff members	Light B - proposed by Ross Gordon alone, not vetted by staff, outside process for P&Z & Council
Light reduction after hours (30 minutes after closing): **25%** of operating hours. Motion sensors may brighten them again for 5 minutes after activation ceases. Exemptions for stairs, walkways, entrances, 24 hr businesses, et al.	Light reduction after hours (30 minutes after closing): **75%** of operating hours. Motion sensors may brighten them again for 5 minutes after activation ceases. Exemptions for stairs, walkways, entrances, 24 hr businesses, et al.
45 days allowed for holiday lighting (should define carnival lighting?)	**60** days allowed for holiday lighting
Any change in fixture or light source requires change permit (whether newly permitted or existing).	**Only change in light fixture or light source that was permitted** under this code requires change request. Existing light exempted.
City of Houston new buffering: parking garage screening next to residential or across street from residential: **48** inches unless demonstrated need for ventilation; otherwise 42 inches. 0.2 footcandle limit at property line (any direction)	New construction: Parking Garage Screening next to residential. **42** inches and shielding for ramps . Additional screening if light trespass [see definition: upward only] beyond the property line exceeds **0.2** footcandles, **measured at grade.**
City **not** exempted from following its own code	City exempted from requirements
Light not measured at grade. General prohibition is “in, on, or over the ground.”	All measurements of light at grade.